





ROADREADY SOLUTIONS

JOIN US ON THE ROAD TO SUCCESS!

- Product Name: Geowiz® LTE
 - ELD identifier: FF44EE
 - Current Software Version: v6.0 and Higher
 - Model Number: IO100
 - Phone Number: 877 443 6949
 - Email: support@roadready.solutions
 - Address: 3035 SE Maricamp Rd, Ste 104-173, OCALA, 34471, US
- 

New Button Installation


- ▶ Connect new button hardware to the in cab diagnostic port. (JBUS, ECM, OBDII)
- ▶ Start the truck. Check the button hardware has flashing LED on the face.
- ▶ Turn on the mobile device's Bluetooth and WIFI features.
- ▶ Log into the ELD application.



New Button Installation

Open the menu and select **Quick Set up**. Select **Get Started**.



- If this is the first time setting up a driver account, enter all required information.



New Button Installation

On the **Engine Connection** page tap the **Search for it** button. This will automatically search for and pair the button to the mobile device.

- If there is already a paired device ID from a previously connected button, tap the **Unpair and Pair with a new device** button. This will remove the previously connected devices.



New Button Installation

- Once the devices are paired continue through the Quick Setup and the device is ready to be used.
- A green indicator on the application will now display on the Home Page, indicating the device is now Connected to the Engine.

